

CHN-19 Product Information Version: 6 PI EU EN 11-11-2019

Description

Mesophilic aromatic culture, type LD. The culture produces flavor and CO₂. This range provides cultures with fast acidification properties at a low inoculation rate.

Culture composition: Lactococcus lactis subsp. cremoris Lactococcus lactis subsp. lactis biovar. diacetylactis Lactococcus lactis subsp. lactis Leuconostoc

| Material No: | 713582 | Color: | Off-white to slightly reddish or brown |
|--------------|------------------|---------|--|
| Size | 30X50 U | Format: | FD-DVS |
| Туре | Pouch(es) in box | Form: | Granulate |

Storage and handling

< -18 °C / < 0 °F

Shelf life

At least 24 months from date of manufacture when stored according to recommendations. At $+5^{\circ}C$ (41°F) the shelf life is at least 6 weeks.

Application

Usage

The culture is primarily used in the manufacturing of Continental semi-hard cheese varieties with eyes, e.g. Gouda, Edam, Leerdam and Havarti.

Suggested dosage

As a principal rule 1000 U of freeze-dried DVS cultures will correspond to 100 I of active bulk starter. However, specific usage rates should be determined experimentally before a new application.

Recommended inoculation rate

| Amount of milk to be | 500 l/ | 2,000 l/ | 5,000 l/ | 10,000 l/ |
|-----------------------|---------|----------|-----------|-----------|
| inoculated | 130 gal | 520 gal | 1,300 gal | 2,600 gal |
| Amount of DVS culture | 50 U | 200 U | 500 U | 1,000 U |

Designed for optimal performance, the composition and recommended inoculation rate for this culture were carefully developed by use of unique microbial strains, advanced biotechnological principles and more than 140 years of accumulated experience from the dairy industry.

Warning: Applying lower than recommended inoculation rate may cause undesired variation in product quality, lower production efficiency, product yield losses, potential fermentation failures and an increased risk of bacteriophage attacks.

Directions for Use

Remove cultures from the freezer just prior to use. Do not thaw Disinfect the package prior to opening. Open the pouch and pour the freeze-dried granules directly into the pasteurized product using slow agitation. Agitate the mixture for 10-15 minutes to distribute the culture evenly. The recommended incubation temperature is dependent on the application in which the culture is used. For more information on specific applications see our technical brochures and suggested recipes.

www.chr-hansen.com

Page: 1 (4)

The information contained herein is to the best of our knowledge and belief, true and accurate and the product(s) mentioned herein do(es) not infringe the intellectual property rights of any third party. The product(s) may be covered by pending or issued patents, registered or unregistered trademarks, or similar intellectual property rights. All rights reserved.



CHN-19


Product Information Version: 6 PI EU EN 11-11-2019

Range

Cultures in this series include CHN-11 and CHN-19 (frozen and freeze-dried) and B-11 and CHN-120 (frozen).

Technical Data

Acidification curve



Fermentation conditions: Lab milk 9.5 % T.S.: 100°C/30 min Inoculation: 500U/5000L

Other Information

Sugars and organic acids:

The residual content of sugars and organic acids (mg/g) in the cheese whey are listed below. Samples have been inoculated at the temperature profile and analyzed on HPLC (High Pressure Liquid Chromatography).

- Citrate: 1.7 mg/g
- Lactose: 34.2 mg/g
- Glucose: 0.0 mg/g
- 4.1 mg/g - Galactose:
- Lactate: 8.6 mg/g
- Acetic acid: 0.0 mg/g

Analytical Methods References and analytical methods are available upon request.

Dietary information

| Kosher: | Kosher Dairy Excl. Passover |
|---------|-----------------------------|
| Halal: | Certified |
| VLOG: | Conform |

www.chr-hansen.com

Page: 2 (4) The information contained herein is to the best of our knowledge and belief, true and accurate and the product(s) mentioned herein do(es) not infringe the intellectual property rights of any third party. The product(s) may be covered by pending or issued patents, registered or unregistered trademarks, or similar intellectual property rights. All rights reserved.



CHN-19

Product Information Version: 6 PI EU EN 11-11-2019

Legislation

Chr. Hansen's cultures comply with the general requirements on food safety laid down in Regulation 178/2002/EC. Lactic acid bacteria are generally recognized as safe and can be used in food, however, for specific applications we recommend to consult national legislation.

The product is intended for use in food.

Food Safety

No guarantee of food safety is implied or inferred should this product be used in applications other than those stated in the Usage section. Should you wish to use this product in another application, please contact your Chr. Hansen representative for assistance.

Labeling

Suggested labeling "lactic acid culture" or "starter culture", however, as legislation may vary, please consult national legislation.

Trademarks

Product names, names of concepts, logos, brands and other trademarks referred to in this document, whether or not appearing in large print, bold or with the ® or TM symbol are the property of Chr. Hansen A/S or an affiliate thereof or used under license. Trademarks appearing in this document may not be registered in your country, even if they are marked with an ®.

Technical support

Chr. Hansen's Application and Product Development Laboratories and personnel are available if you need further information.

GMO Information

In accordance with the below mentioned legislation of the European Union we can inform that:

CHN-19 is not a GM (genetically modified) food *.

It does not contain or consist of GMOs and is not produced from GMOs in accordance with Regulation 1829/2003* on GM food and feed.

As such GM labelling is not required for <u>CHN-19</u> or the food it is used to produce^{**}. Moreover, the product does not contain any GM labelled raw materials.

* Regulation (EC) No 1829/2003 of the European Parliament and of the Council of 22 September 2003 on genetically modified food and feed. ** Regulation (EC) No 1830/2003 of the European Parliament and of the Council of 22 September 2003 concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms and amending Directive 2001/18/EC.

Please note the information presented here does not imply that the product can either be used in, or is externally certified to be used in, food or feed labelled as 'organic' or 'GMO free'. Requirements to make these claims vary per country, please contact us for more information.

Page: 3 (4)



CHN-19

Product Information Version: 6 PI EU EN 11-11-2019

| Allergen Information | |
|--|---------------|
| List of common allergens in accordance with the US Food Allergen Labeling and | Present as an |
| Consumer Protection Act of 2004 (FALCPA) and EU Regulation 1169/2011/EC with later | ingredient in |
| amendments | the product |
| Cereals containing gluten* and products thereof | No |
| Crustaceans and products thereof | No |
| Eggs and products thereof | No |
| Fish and products thereof | No |
| Peanuts and products thereof | No |
| Soybeans and products thereof | No |
| Milk and products thereof (including lactose) | Yes |
| Nuts* and products thereof | No |
| List of allergens in accordance with EU Regulation 1169/2011/EC only | |
| Celery and products thereof | No |
| Mustard and products thereof | No |
| Sesame seeds and products thereof | No |
| Lupine and products thereof | No |
| Mollusks and products thereof | No |
| Sulphur dioxide and sulphites (added) at concentrations of more than | |
| 10 mg/kg or 10 mg/litre expressed as SO ₂ | No |

* Please consult the EU Regulation 1169/2011 Annex II for a legal definition of common allergens, see European Union law at: www.eur-lex.europa.eu

www.chr-hansen.com