

Product Information

Version: 10 PI GLOB EN 07-27-2021

### Description

CHY-MAX® Plus is a pure chymosin produced by submerged fermentation on a vegetable substrate with *Aspergillus niger*var. *awamori* kept under contained conditions and not present in the final product. The product contains a milk-clotting enzyme which is highly specific for kappa-casein, resulting in very good curd formation. The general activity also has a significant influence on the flavor and texture development of cheeses. The active milk-coagulating enzyme is chymosin (EC 3.4.23.4).

Material No: 117404

Size 5 L Storage temp:  $0 - 8 \,^{\circ}\text{C} / 32 - 46 \,^{\circ}\text{F}$ 

Type Jerry can Conditions: Protect from light . Keep closed in the

original container.

#### Shelf life

12 months from quality release when stored according to the recommended storage conditions. The shelf life is limited to 3 months after opening, provided the product is maintained according to the recommended storage conditions.

### Transport condition

Ambient temperature. If transit time is more than 7 days, transport the product between 2 and 8°C / 36 and 46 °F.

#### Patent information\*

Patented

#### Application

CHY-MAX® Plus can be used for producing any type of cheese; hard, semi-hard, soft, mold-ripened, low-fat and ingredient cheeses.

#### Dosage

30-60 IMCU/I milk

The correct dosage of coagulants depends on the following factors: cheese type, temperature and pH of the cheese milk, characteristics of cultures and dosage of CaCl<sub>2</sub> and NaCl. Factors may vary according to country, dairy and day. Therefore, exact dosage should be optimized to local conditions.

#### Directions for use

Heat the milk to the desired renneting temperature. It is recommended to dilute 1 part of coagulant in 5-15 parts of water prior to use. Dilution water must have a pH <6.4 and be free of chlorine. If pH and chlorine are not under control, we recommend to mix 80% of cold water with 20% of cold milk, and use this solution for dilution. The diluted coagulant should be added immediately to the milk while stirring for 2-3 minutes to distribute the coagulant properly in the cheesemilk.

#### Composition

Water, Sodium chloride, sodium benzoate E211 (<=0.5%), Chymosin

### Specification

Properties

Average activity: 200 IMCU/ml Guaranteed activity: >= 190,0 IMCUML

Guaranteed activity is the minimum activity at best-before date.

Content

Enzyme type: Fermentation produced Chymosin: 100 %

chymosin

www.chr-hansen.com Page: 1 (5)



**Product Information** 

Version: 10 PI GLOB EN 07-27-2021

**Physical Properties** 

Color:Colorless to amberForm:LiquidSolubility:Water solubleOdor:CharacteristicpH:5,50 - 6,00Density:1,08 - 1,12

The product may exhibit batch-to-batch color variations. This has no influence on the activity.

Formulation

Sodium chloride (w/v): >= 10.0 % Sodium benzoate (w/v): <= 0.5 %

Microbiological quality

Aerobic plate count: < 100 cfu/ml Yeast and mould: < 1 cfu/ml Coliform bacteria: Escherichia coli: < 1 cfu/ml Absent in 25ml Listeria monocytogenes: Salmonella spp.: Absent in 25ml Absent in 25ml Anaerobic Sulphite-reducers: < 1 cfu/ml Coagulase-positive Absent in 1ml

staphylococci:

Conformity

Amylase: Below detection Lipase: Below detection

Amylase and Lipase are tested in 100 IMCU

#### Comments

Methods are available on request.

Our fermentation produced enzymes are tested for the relevant mycotoxins and metabolites according to JECFA's General Specifications for Enzymes.


This product complies with the recommended purity specifications for food-grade enzymes given by the Joint FAO/WHO Expert Committee on Food Additives (JECFA) and the Food Chemical Codex (FCC).

### **Technical Data**

#### Temperature

The relative activity of different enzymes depends on the temperature. For this product, the temperature optimum is approximately  $36-40^{\circ}\text{C} / 97-104^{\circ}\text{F}$ .

The following graph demonstrates the influence of temperature on coagulant activity in milk.



www.chr-hansen.com Page: 2 (5)




**Product Information** 

Version: 10 PI GLOB EN 07-27-2021

#### пŀ

The activity of coagulants is pH dependent; the lower the pH, the higher the activity.


The following graph demonstrates the influence of pH on coagulant activity in milk.



#### Calcium

The addition of calcium chloride to milk increases the activity of coagulants due to a decrease in pH and also has an effect on aggregation. Excessive use of calcium chloride may induce bitterness in the cheese.

The following graph demonstrates the influence of calcium chloride on coagulant activity in milk.



Stability Residual milk clotting activity in whey following pasteurization for 15 seconds at pH > 6.0 and a temperature of  $72^{\circ}$ C/  $162^{\circ}$ F:

NATUREN® Stabo	> 5%	MICROLANT® Classic	< 1%	CHY-MAX®	< 1%
NATUREN® Stamix	> 2%	MICROLANT® Basic	> 30%	CHY-MAX® M	< 1%
NATUREN® Premium	< 2%	MICROLANT® Supreme	< 1%	CHY-MAX® Special	< 1%
NATUREN® Extra	< 2%	THERMOLASE®	< 1%	CHY-MAX® Supreme	< 1%



**Product Information** 

Version: 10 PI GLOB EN 07-27-2021

#### Technical support

Chr. Hansen's Application and Product Development Laboratories and personnel are available if you need further information.

## **Dietary Information**

Kosher: Kosher Pareve Excl. Passover

Halal: Certified Vegetarian: Yes

### Handling precautions

For detailed handling information, please refer to the appropriate Safety Data Sheet. Enzymes may cause sensitization upon inhalation and irritation upon skin contact. The use of personal protection equipment such as gloves, goggles and respiratory protection can prevent sensitization. For additional guidelines refer to 'Guide to the safe handling of microbial enzymes preparations' published by the Association of Manufacturers and Formulators of Enzyme Products (AMFEP) and 'Working Safely With Enzymes' by the Enzyme Technical Association (ETA).

Packaging material of this product can be disposed of as normal waste.

## Legislation

The product complies with Jecfa (FAO/WHO) and FCC recommended specifications for food grade enzymes. The legal use of enzymes in food processing is governed by the general food law and by Reg. (EC) No 1332/2008. However the first positive list is only expected to be published in a few years from now. In the meantime, the regulatory situation is unchanged. The safety of the enzyme has been established and documented and as such the enzyme can be used as a processing aid in all countries that do not have specific requirements for approval. In the EU, this currently means all countries except Denmark and France, which have their own national approval systems.

The product is intended for use in food.

### Labeling

Enzymes, as processing aids, generally do not need to be labeled on the final product. However local legislation and standards of identity for the final product should always be consulted.

### **Trademarks**

Product names, names of concepts, logos, brands and other trademarks referred to in this document, whether or not appearing in large print, bold or with the ® or TM symbol are the property of Chr. Hansen A/S or an affiliate thereof or used under license. Trademarks appearing in this document may not be registered in your country, even if they are marked with an ®.

### \*Patent No.

EP 0429490, US 6509171, US 5840570, CA 1333777, US 5364770, US 6103490, US 5578463, US 6004785,US 6379928, US 6171817, EP 0429628, FI 0110124, US 5679543, US 6130063, CA 2034487, AU 627334, JP 3153234, EP0477280, FI 10053.

www.chr-hansen.com Page: 4 (5)



**Product Information** 

Version: 10 PI GLOB EN 07-27-2021

#### **GMO** Information

In accordance with the below mentioned legislation of the European Union we can inform that:

CHY-MAX® Plus is not a GM (genetically modified) food \*.

As such GM labelling is not required for <a href="CHY-MAX® Plus">CHY-MAX® Plus</a> or the food it is used to produce\*\*. Moreover, the product does not contain any GM labelled raw materials.

\* Regulation (EC) No 1829/2003 of the European Parliament and of the Council of 22 September 2003 on genetically modified food and feed.

Please note the information presented here does not imply that the product can either be used in, or is externally certified to be used in, food or feed labelled as 'organic' or 'GMO free'. Requirements to make these claims vary per country, please contact us for more information.

Allergen Information

List of common allergens in accordance with the US Food Allergen Labeling and Consumer Protection Act of 2004 (FALCPA) and EU Regulation 1169/2011/EC with later amendments	Present as an ingredient in the product
Cereals containing gluten* and products thereof	No
Crustaceans and products thereof	No
Eggs and products thereof	No
Fish and products thereof	No
Peanuts and products thereof	No
Soybeans and products thereof	No
Milk and products thereof (including lactose)	No
Nuts* and products thereof	No
List of allergens in accordance with EU Regulation 1169/2011/EC only	
Celery and products thereof	No
Mustard and products thereof	No
Sesame seeds and products thereof	No
Lupine and products thereof	No
Mollusks and products thereof	No
Sulphur dioxide and sulphites (added) at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO <sub>2</sub>	No

<sup>\*</sup> Please consult the EU Regulation 1169/2011 Annex II for a legal definition of common allergens, see European Union law at: www.eur-lex.europa.eu

www.chr-hansen.com Page: 5 (5)

<sup>\*\*</sup> Regulation (EC) No 1830/2003 of the European Parliament and of the Council of 22 September 2003 concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms and amending Directive 2001/18/EC.